

Eucolin picaturi este un supliment alimentar, cu indulcitor, pe baza de macerate glicerinice din Tei si Tamarix/Catina-rosie si extracte uscate din Fenicul si Musetel.

INGREDIENTE:

30 de picaturi contin: 12,6 mg macerat de Tei ;7,56 mg extract de Fenicul; 5,4 mg macerat de Tamarix/Catina-rosie si 3,24 mg extract de Musetel

Teiul are efect de relaxare; contribuie la relaxarea care sustine somnul si odihna fiziologica nocturna

Tamarix/ Catina-rosie ajuta la mentinerea unei functii sanatoase a ficatului, sustinand digestia si purificarea organismului. Tonic care contribuie la activitatea adaptogena

Feniculul sustine apetitul, digestia si eliminarea gazelor; sustine sanatatea tractului digestiv; ajuta in caz de flatulenta si spasm abdominal. Sustine productia de lapte matern ; ajuta la mentinerea sanatatii sanilor in timpul alaptarii. Sustine imunitatea; are activitate antioxidanta.

MOD DE UTILIZARE:

Sugari: 20 de picaturi de 2 ori pe zi cu o jumatate de ora inainte de masa

Copii mici: 20 de picaturi de 3 ori pe zi

ATENTIONARI:

A nu se lasa la indemana si vederea copiilor mici. A nu se depasi doza recomandata pentru consumul zilnic. Produsul este un supliment alimentar si nu trebuie sa inlocuiasca o dieta variata, echilibrata si un stil de viata sanatos. Nu se recomanda utilizarea de catre persoanele cu alergii la oricare dintre ingredientele produsului sau cu intoleranta la fructoza. **Produsul poate suferi modificari de culoare, datorita ingredientelor sale, dar care nu ii afecteaza calitatea, siguranta pentru consum si eficienta.**

Conditii de pastrare: A se pastra la temperatura camerei, in loc uscat, ferit de lumina directa a soarelui

A se consuma, de preferinta, inainte de sfarsitul lunii inscrise pe ambalaj

Lot N. 270622 Exp 06/2025

Producator: Biotrading SRL, Italia

Detinator de notificare: Invictus Pharmaceutical SRL, str Pastorului nr 2, bl 4, sc A, ap 4, sectr 2, Bucuresti, Romania

Volum net: 30 ml

Produs notificat de: SNPMAPS nr. 15670/11.04.2022

Bibliografie :

- Bruneton J. Pharmacognosie et phytochimie plantes medicinales. Ed. Lavoisier, Paris, 1993
- Amellal M. Et al. Inhibition of mast cell histamine release by flavonoids and biflavonoids. *Planta Med.* 16-19, 1985
- Rekká E.A. et al. Investigation of the effects of chamazulene on lipid peroxidation and free radical processes. *Res. Comm Molecular Pathol. Pharmacol.* 92,361-364, 1996
- Miller T. Et al. Effects of some components of the essential oil of chamomile , *Chamomilla recutita*, on histamine release from rat mast cells. *Planta Med.* 62,60-61, 1996
- Della Loggia R. Et al. The role of flavonoids in the anti-inflammatory activity of *Chamomilla recutita*. *Prog. Clin. Biol. Res.* 213,481-484, 1986
- Avallone A.U. et al. Benzodiazepine-like compounds and GABA in flower heads of *Matricaria Chamomilla*. *Phytoter. Res.* 10, suppl.1,S 177-S 179, 1996
- Fintelmann V. Modern phytotherapy and its uses in gastrointestinal conditions. *Planta Med.* 57, S48-S52, 1991
- Westpahl J. et al. Phytotherapy in functional upper abdominal complaints : results of a clinical study with a preparation of several plants. *Phytomedicine* 2, 285-291, 1996
- Deans S.G et al. The antibacterial properties of plant essential oils. *Int. J. Food. Microbiol.* 5,265-280, 1987
- Schilcher H. *Fitoterapia in pediatria*. Ed. OEMF, 1996
- Alexandrovich i. Et al. The effect of fennel (*Foeniculum vulgare*) seed oil emulsion in infantile colic : a randomized, placebo-controlled study. *Althern. Ther. Health Med.* 9 (4):58-61, 2003

EUCOLIN DROPS is a dietary supplement made from glycerine macerate of Tilia and Tamarisk, with dry titrated extracts of Fennel and Chamomile

INGREDIENTS:

30 drops contain: 12,6 mg Tilia glycerine macerate ; 7,56 mg Fennel extract ;5,4 mg Tamarix macerate ;3,24 mg Chamomile extract

Linden has a relaxing effect; it contributes to the relaxation that supports sleep and physiological nocturnal rest

Tamarix helps maintain a healthy liver function, by supporting the digestion and cleansing of the body. Tonic that contributes to the adaptogenic activity

Fennel sustains a healthy appetite, digestion and gas elimination; it supports the wellbeing of the digestive tract; it helps in case of flatulence and abdominal spasm. It supports the immunity and has an antioxidant effect.

RECOMMENDED DAILY DOSE :

Infants: it is recommended to take 20 drops 2 times per day, half an hour before feeding

Small children: it is recommended to take 20 drops 3 times per day

WARNINGS:

Store in a cool and dry place. Keep out of reach of small children. Supplements are not intended as a substitute for a varied and balanced diet and a healthy lifestyle. Do not take this product in case of allergy or hypersensitivity to any of its components. **The product may change in colour due to the nature of its components , without affecting its quality or integrity.**

Best before the end:

Lot N. 270622 Exp 06/2025

Producator: Biotrading SRL, Italia

Detinator de notificare: Invictus Pharmaceutical SRL, str Pastorului nr 2, bl 4, sc A, ap 4, sector 2, Bucuresti, Romania

Produs notificat de: SNPMAPS nr. 15670/11.04.2022

Bibliography:

- Bruneton J. Pharmacognosie et phytochimie plantes medicinales. Ed. Lavoisier, Paris, 1993

- Amellal M. Et al. Inhibition of mast cell histamine release by flavonoids and biflavonoids. *Planta Med.* 16-19, 1985
- Rekka E.A. et al. Investigation of the effects of chamazulene on lipid peroxidation and free radical processes. *Res. Comm Molecular Pathol. Pharmacol.* 92,361-364, 1996
- Miller T. Et al. Effects of some components of the essential oil of chamomile , *Chamomilla recutita*, on histamine release from rat mast cells. *Planta Med.* 62,60-61, 1996
- Della Logia R. Et al. The role of flavonoids in the anti-inflammatory activity of *Chamomilla recutita*. *Prog. Clin. Biol. Res.* 213,481-484, 1986
- Avallone A.U. et al. Benzodiazepine-like compounds and GABA in flower heads of *Matricaria Chamomilla*. *Phytoter. Res.* 10, suppl.1,S 177-S 179, 1996
- Fintelmann V. Modern phytotherapy and its uses in gastrointestinal conditions. *Planta Med.* 57, S48-S52, 1991
- Westpahl J. et al. Phytotherapy in functional upper abdominal complaints : results of a clinical study with a preparation of several plants. *Phytomedicine* 2, 285-291, 1996
- Deans S.G et al. The antibacterial properties of plant essential oils. *Int. J. Food. Microbiol.* 5,265-280, 1987
- Schilcher H. *Fitoterapia in pediatria*. Ed. OEMF, 1996
- Alexandrovich i. Et al. The effect of fennel (*Foeniculum vulgare*) seed oil emulsion in infantile colic : a randomized, placebo-controlled study. *Althern. Ther. Health Med.* 9 (4):58-61, 2003

