

**Eucolin Vise Placute** picaturi este un supliment alimentar obtinut din macerat hidro-glicerinic de Tei si lastari tineri de Tamarix, cu extracte uscate titrate de Fenicul si Musetel. Feniculul si Musetelul pot fi folosite pentru reglarea motilitatii gastrointestinale si eliminarea fiziologica a gazelor. Melatonina contribuie la reducerea timpului necesar pentru a adormi (efectul benefic se obtine prin administrarea a 1 mg de melatonina, egal cu 10 picaturi a produsului, chiar inainte de culcare).

Fara gluten. Fara Lactoza.

Teiul contribuie la relaxarea care sustine somnul si odihna fiziologica nocturna.

Tamarix/ Catina-rosie ajuta la mentinerea unei functii sanatoase a ficatului, sustinand digestia si purificarea organismului. Tonic care contribuie la activitatea adaptogena

Feniculul sustine apetitul, digestia si eliminarea gazelor; sustine sanatatea tractului digestiv; ajuta in caz de flatulenta si spasm abdominal. Sustine imunitatea si are activitate antioxidanta.

Melatonina reduce timpul pana la adormire.

**Compozitie/portie (10 picaturi): Ingrediente active:** macerat hidro-glicerinic din muguri de tei(Tilia Tomentosa M.) (16,8 mg), Fenicul (,Foeniculum vulgare mill.)extract uscat de fructe titrat 0,9 pana la 1,1 % in ulei essential (fenicul,maltodextrin) (10 mg), macerat hidro-glicerinic din lastari tineri de Tamarix (Tamarix gallica L.)(7,2 mg), titrat 2,3 % in apigenin si apigenin-7-glucozida (tei,maltodextrin) de extract uscat de flori de Musetel (Matricaria chamomilla l.)(4,3 mg), titrat granular de melatonina 10,8 % (maltodextrina, melatonina,agent de ingrosare: guma arabica)(1 mg) ;**Alte ingrediente:** apa, fructoza, lactat de sodiu solutie, sorbat de potasiu , acid citric

**MOD DE UTILIZARE:** 10 picaturi pe zi, echivalentul a 1 mg de melatonina, inainte de culcare

**ATENTIONARI:**

A nu se lasa la indemana si vederea copiilor mici. A nu se depasi doza recomandata pentru consumul zilnic. Produsul este un supliment alimentar si nu trebuie sa inlocuiasca o dieta variata, echilibrata si un stil de viata sanatos. Nu se recomanda utilizarea de catre persoanele cu alergii la oricare dintre ingredientele produsului. **Produsul poate fi supus schimbarii de culoare datorita naturii componentelor sale fara a aduce vreun prejudiciu integritatii si eficacitatii produsului.**

**Pastrare:** A se pastra la loc uscat si ferit de lumina si surse de caldura

Producator: Biotrading SRL, Italia

Detinator de notificare: Invictus Pharmaceutical SRL, str Pastorului nr 2, bl 4, sc A, ap 4, sector 2, Bucuresti, Romania

Produs notificat de: Centrul Regional de Sanatate Publica Iasi, Seria AD Nr.3408/01.08.2022

Lot 010921 Exp 09/2024

A se consuma, de preferinta,inainte de sfarsitul lunii inscrite pe ambalaj:

## **Bibliografie :**

1. Miller T. Et al. Effects of some components of the essential oil of chamomile ,  
Chamomilla recutita, on histamine release from rat mast cells. *Planta Med.*  
62,60-61, 1996
2. Della Logia R. Et al. The role of flavonoids in the anti-inflammatory activity of  
Chamomilla recutita. *Prog. Clin. Biol. Res.* 213,481-484, 1986
3. Avallone A.U. et al. Benzodiazepine-like compounds and GABA in flower heads  
of Matricaria Chamomilla. *Phytoter. Res.* 10, suppl.1,S 177-S 179, 1996
4. Westpahl J.et al. Phytotherapy in functional upper abdominal complaints :  
results of a clinical study with a preparation of several plants. *Phytomedicine* 2,  
285-291,1996
5. Deans S.G et al. The antibacterial properties of plant essential oils. *Int. J. Food.*  
*Microbiol.* 5,265-280, 1987
6. Schilcher H. *Fitoterapia in pediatria.* Ed. OEMF, 1996
7. Alexandrovich i. Et al. The effect of fennel (*Foeniculum vulgare*) seed oil  
emulsion in infantile colic : a randomized, placebo-controlled study. *Althern.*  
*Ther. Health Med.* 9 (4):58-61, 2003
8. Lerner A.B., Case J.D., Takahashi Y.,Lee T.H.,Mori W.,Isolation of melatonin, the  
pineal gland factor that lightens melanocytes. 1958.
9. Bubenik G.A., *Gastrointestinal melatonin : localization, function and clinical  
relevance.* *Dig. Dis. Sci.* 2002; 47:2336-2348
10. Carillo-Vico A., Calvo J.R. ,Abreu P. , Lardone P.J.,Garcia-Maurino S.,Reiter  
R.J.,Guerrero J.M.,Evidence of melatonin synthesis by human lymphocytes and  
its physiological significance: possible role as intracrine, autocrine, and/or  
paracrine substance. *FASEB J.* 2004; 18:537-539.

**EUCOLIN SWEET DREAMS** is a dietary supplement made from glycerine macerate of Tilia and Tamarisk, with dry titrated extracts of Fennel and Chamomile and Melatonin. Fennel and Chamomile can be used for the regulation of the gastrointestinal motility and the physiological elimination of gas. Melatonin reduces of the time required to fall asleep(the effect is obtained by the administration of 1 mg melatonin, equal to 10 drops, before going to bed).

Linden contributes to the relaxation that supports sleep and physiological nocturnal rest.

Tamarix helps maintain a healthy liver function, by supporting the digestion and cleansing of the body. Tonic that contributes to the adaptogenic activity.

Fennel sustains a healthy appetite,digestion and gas elimination; it supports the wellbeing of the digestive tract; it helps in case of flatulence and abdominal spasm. It supports the immunity and has an antioxidant effect.

Melatonin reduces of the time required to fall asleep

**INGREDIENTS: Active ingredients:** Tilia tomentosa glycerine macerate(16,8 mg), Foeniculum vulgare dry extract tit. 0,9-1,1% in essential oil (10 mg), Tamarix gallica glycerine macerate(7,2 mg), Matricaria chamomilla dry extract tit. 2,3% in apigenin and apigenin-7-glucoside(4,3 mg), Melatonin(1 mg) ; **Other ingredients:** water, fructose, sodium lactate sol., potassium sorbate, citric acid

**RECOMMENDED DAILY DOSE:** it is recommended to take 10 drops per day, equal to 1 mg of Melatonin, before going to bed

**WARNINGS:**

Store in a cool and dry place. Keep out of reach of small children. Supplements are not intended as a substitute for a varied and balanced diet and a healthy lifestyle. Do not take this product in case of allergy or hypersensitivity to any of its components. **The product may change in colour due to the nature of its components , without affecting its quality or integrity.**

Producator: Biotrading SRL, Italia

Detinator de notificare: Invictus Pharmaceutical SRL, str Pastorului nr 2, bl 4, sc A, ap 4, sector 2, Bucuresti, Romania

Produs notificat de: Centrul Regional de Sanatate Publica Iasi, Seria AD Nr.3408/01.08.2022

Lot 010921 Exp 09/2024

Best before the end:

**Bibliography:**

1. Miller T. Et al. Effects of some components of the essential oil of chamomile , Chamomilla recutita, on histamine release from rat mast cells. Planta Med. 62,60-61, 1996
2. Della Logia R. Et al. The role of flavonoids in the anti-inflammatory activity of Chamomilla recutita. Prog. Clin. Biol. Res. 213,481-484, 1986
3. Avallone A.U. et al. Benzodiazepine-like compounds and GABA in flower heads

of *Matricaria Chamomilla*. *Phytoter. Res.* 10, suppl.1,S 177-S 179, 1996

4. Westpahl J. et al. Phytotherapy in functional upper abdominal complaints : results of a clinical study with a preparation of several plants. *Phytomedicine* 2, 285-291,1996
5. Deans S.G et al. The antibacterial properties of plant essential oils. *Int. J. Food. Microbiol.* 5,265-280, 1987
6. Schilcher H. *Fitoterapia in pediatria*. Ed. OEMF, 1996
7. Alexandrovich i. Et al. The effect of fennel (*Foeniculum vulgare*) seed oil emulsion in infantile colic : a randomized, placebo-controlled study. *Althern. Ther. Health Med.* 9 (4):58-61, 2003
8. Lerner A.B., Case J.D., Takahashi Y.,Lee T.H.,Mori W.,Isolation of melatonin, the pineal gland factor that lightens melanocytes. 1958.
9. Bubenik G.A., *Gastrointestinal melatonin : localization, function and clinical relevance.* *Dig. Dis. Sci.* 2002; 47:2336-2348
10. Carillo-Vico A., Calvo J.R. ,Abreu P. , Lardone P.J.,Garcia-Maurino S.,Reiter R.J.,Guerrero J.M.,Evidence of melatonin synthesis by human lymphocytes and its physiological significance: possible role as intracrine, autocrine, and/or paracrine substance. *FASEB J.* 2004; 18:537-539.